

Laminex®

# Commercial Range



A proud  
Australian  
manufacturer

# Contents

Sustainability .....	4
Protec+ Antimicrobial Technology .....	5
Application Index .....	6
Large Format Commercial .....	8
Decorwood® .....	12
Laminex AbsoluteMatte® .....	16
Fireguard® Décor .....	18
Multipurpose Compact Laminate .....	22
Laboratory Compact Laminate .....	30
Alfresco Compact Laminate .....	32
Cut-to-size Compact Laminate .....	34
Waterloo™ Partitioning Systems .....	36
Chemical Resistant Laminate .....	39
Metallic Laminates .....	41
CustomArt™ Surfaces .....	43





COVER: Shelving Units Laminex Portsea and Laminex Moroccan Clay. Tabletop Laminex Marmo Grigio TrueScale™ in Multipurpose Compact Laminate.

ABOVE: Wall Panels are Laminex Seasoned Oak and seating kickers are Laminex Gunmetal  
Project: Hudson CBD Project. Architect: IA Design. Photography: Alanna Jayne McTiernan

# Sustainability

As a proud Australian manufacturer, sustainable practices are an important part of our manufacturing capabilities. Through partnerships with government and industry we will continue to pursue and test new innovations in sustainable and environmental practices.

## GreenTagCert™ Certification

Global GreenTag is a Product Sustainability Certification, Product Health & Environmental Product Declaration Program Operator relevant to all of the major green building rating tools in the world including;

- LEED® (167+ countries)
- International WELL™ Building Standard (60+ countries)
- Green Star® Australia, New Zealand and Africa (56+ countries)
- Green Globes® (21+ countries)
- BREEAM® & BREEAM® International (78+ countries)
- EarthCheck® (70+ countries)
- LOTUS
- Infrastructure Sustainability 'IS' Tool



## Timber Certification

As one of Australia's largest manufacturers of wood products, Laminex supports responsible forest management and is committed to producing quality products from quality materials that are backed by globally recognised certifications. We source our raw materials from suppliers who have been independently verified as compliant to chain of custody standards, meaning that materials are produced using wood fibres sourced from certified sustainably managed forests to Responsible Wood/PEFC (Programme for the Endorsement of Forest Certification) Certifications.

Our manufacturing facilities hold their own PEFC certifications. This means all certified wood products from these facilities can be traced from plantation to final manufactured product.



## Sustainable Manufacturing Initiatives

Laminex Australia also maintains ISO 14001 Environmental Management System certification for all manufacturing sites and is progressively embarking on a number of waste and emission reduction initiatives to reduce our overall environmental impact.



Find all of our documentation, certificates and reports at [laminex.com.au/about-us/sustainability](http://laminex.com.au/about-us/sustainability)



Now more than ever, we understand the importance of maintaining hygiene in interior spaces we frequently touch such as countertops, tabletops and toilet and shower partitioning. Laminex has taken the lead with the introduction of Protec<sup>+</sup>, an antimicrobial surface technology that inhibits the growth of bacteria and fungus, that is now manufactured as standard into selected Laminex high-pressure laminate (HPL), including AbsoluteMatte HPL, as well as Laminex Multipurpose Compact Laminate.

## Protec<sup>+</sup> Fast Facts

### Peace of mind

Laminex Protec<sup>+</sup> antifungal and antibacterial properties do not wipe off or leach out of the surface. This gives you enhanced antimicrobial protection for the expected life of the surface.

### Food Safe


Protec<sup>+</sup> is certified as food safe, meaning it is safe for use in food preparation and processing activities and can be in direct contact with food, provided that good hygiene practices are followed.

### Cleaner environments, everywhere

Laminex Protec<sup>+</sup> can be used to create a safer, cleaner environment anywhere, including hospitals, schools, hotels, shops, cafes, sport facilities and public toilets.

### Proven Effectiveness

Laminex Protec<sup>+</sup> has been independently tested in accordance with a number of leading standards, including: ISO22196:2011, JIS Z2801 and ASTM G21, which measure antimicrobial activity and fungi resistance.



ABOVE: Tabletop Laminex Pillarbox.  
Project: Atomic Beer Garden. Architect: CJH Studio. Photography: Anson Smart Photography

# Application Index

	Counters\Benchtops	Cabinetry	Wall Linings	Ceiling Linings	Toilet Partitions	Shower Partitions	Lockers	Bench Seating	Commercial Furniture
Large Format Commercial									
Decorwood									
AbsoluteMatte HPL									
AbsoluteMatte Panels									
Fireguard Décor									
Multipurpose Compact Laminate									
Laboratory Grade Compact Laminate									
Alfresco Grade Compact Laminate									
Waterloo Partitioning Systems									
Chemical Resistant Laminate									
Metallic Laminates									
CustomArt Surfaces									



ABOVE: Wall Lining Laminex Raw Birchply in Fireguard Décor.



# Large Format Commercial

Create inspired spaces with the Laminex Large Format Commercial Range. The Laminex Large Format Commercial range is Moisture Resistant E0 Particleboard (Vertiboard®), decorated both sides in a range of décors. It has been specially selected for today's Commercial and large scale projects. Vertiboard® is available in cost effective 3600mm x 1800mm panels, with thicknesses of 18mm, 25mm and 33mm in 4 different finishes. The range integrates with the Laminex Lamiwood® and Laminex Multipurpose Compact Laminate ranges.

Laminex Vertiboard is proudly made in Australia.

## Panels

Product Offer	Finishes	Panel Dimensions	Thickness
Vertiboard MR (MR E0 Particleboard)	Natural, Chalk, Flint and Nuance	3600mm x 1800mm	18mm 25mm 33mm

## ABS Edging

Width	21mm	22mm	29mm	38mm
Thickness	1mm	2mm	1mm & 2mm	2mm
Rolls	25m & 100m	100m	100m	100m

## Warranty

7 Years

## Laminex Large Format Commercial Features



Light Duty  
Horizontal



Vertical  
Application




Stain  
Resistant



Heat  
Resistant



Water  
Resistant



Tactile



UV Stable  
Indoor Use



Dimensional  
Stability




Made in Australia



For full technical details, refer to the Technical Support Information available at [laminex.com.au](http://laminex.com.au)



Polar White  
F




White  
F NU



Parchment  
F



Moleskin  
F



Ghostgum  
F



Aries  
F



Oyster Grey  
F



Spinifex  
F



Fox  
F



Tornado  
F



Lava Grey  
N



Fossil  
F




Olivine  
F



Otway  
F




French Navy  
F




Charcoal  
F



Battalion  
F



Terril  
F



Black  
F NU

**Legend**

N Natural Finish

F Flint Finish

NU Nuance Finish



Alaskan  
N



Milkwood  
N



Seasoned Oak  
N C



Oyster Linea  
N NU



Dansk Maple  
F



Raw Birchply  
N C




Silver Ash  
F



Young Beech  
F



Rock Maple  
N



Curly Birch  
F



Elegant Oak  
N C



Select Beech  
F



Sublime Teak  
N C



Classic Oak  
N NU C



Rural Oak  
N C



Natural Walnut  
N C



Lustrous Elm  
N NU



Calm Oak  
N C



Planked Urban Oak  
N C



Danish Walnut  
N C

**Legend**

**N** Natural Finish

**F** Flint Finish

**NU** Nuance Finish

**C** Chalk





Zincworks  
N



Fox Teakwood  
N C



New Graphite  
F




Greystone  
F



Burnished Wood  
N NU



Black Birchply  
N C



Portsea  
F



Moroccan Clay  
F



Golden Wattle  
F



Coastal Sunrise  
F



Pillarbox  
F

# Decorwood®

The Laminex Decorwood range is standard E0 MDF, decorated both sides in a range of décors. Available in 2400mm x 1800mm panels in either 18mm or 25mm thicknesses, Decorwood is a cost-effective decorated MDF panel suitable for loose commercial furniture like lockers and desks, particularly where a shark-nose edge is required.

Laminex Decorwood® is proudly made in Australia.

## Panels

Product Offer	Finishes	Panel Dimensions	Thickness
Decorwood (Standard E0 MDF)	Natural, or Flint finish (varies by décor)	2400mm x 1800mm	18mm 25mm

## ABS Edging

Width	21mm	22mm	29mm	38mm
Thickness	1mm	2mm	1mm & 2mm	2mm
Rolls	25m & 100m	100m	100m	100m

## Laminex Large Format Commercial Features



Light Duty  
Horizontal



Vertical  
Application



Stain  
Resistant



Heat  
Resistant



UV Stable  
Indoor Use



Dimensional  
Stability



**Made in Australia**



For full technical details, refer to the Technical Support Information available at [laminex.com.au](http://laminex.com.au)




Polar White  
F



White  
F



Parchment  
F



Oyster Grey  
F



Charcoal  
F




Black  
F



Zincworks  
N



New Graphite  
F



Greystone  
F



Oyster Linea  
N



Dansk Maple  
N



Raw Birchply  
N



Young Beech  
N



Curly Birch  
N



Elegant Oak  
N



Select Beech  
N



Sublime Teak  
N



Classic Oak  
N



Rural Oak  
N



Natural Walnut  
N

Legend


N Natural Finish

F Flint Finish





Olivine  
N



Portsea  
N



Golden Wattle  
N



Coastal Sunrise  
N



Pillarbox  
N



Cabinetry, Benchtop & Kicker Laminex Porcelain Blush. Joinery & Rear Cabinetry Laminex Golden Wattle. Shelving Back & Island Front Surround by Laminex Demi-Round 40.

# Laminex AbsoluteMatte<sup>®</sup>

Laminex AbsoluteMatte<sup>™</sup> is a super-matte, intriguingly tactile and fingerprint-resistant surface suitable for benchtops and cabinetry.

AbsoluteMatte features InvisiTouch<sup>®</sup>, a world-leading surface technology that delivers unrivaled fingerprint resistance and durability properties in an ultra-matte feel that invites the touch. Plus the laminate features antibacterial protection to ensure your surface stays looking smarter and cleaner for longer.

In a selection of solid colours in high pressure laminate or panels, the AbsoluteMatte range is the premium choice for a modern matte finish.

Laminex AbsoluteMatte<sup>™</sup> products are proudly made in Australia.

## Panels

Product Offer	Finishes	Panel Dimensions	Thickness
AbsoluteMatte Panel (MR E0 MDF)	AbsoluteMatte	2400mm x 1200mm 3600mm x 1200mm	18mm & 25mm substrate thickness (18.6mm & 25.6mm finished panel thickness)
AbsoluteMatte HPL	AbsoluteMatte	3600mm x 1500mm	0.7mm sheet thickness
AbsoluteMatte Compact Laminate	AbsoluteMatte	3600mm x 1500mm	13mm sheet thickness 18mm sheet thickness

## ABS Edging

Finish	Width	23mm	29mm	38mm	42mm
AbsoluteMatte	Thickness	1mm	1mm	1mm	1mm
	Rolls	25m, 100m	100m	25m, 100m	50m

## AbsoluteMatte Features



Horizontal Application



Vertical Application



Fingerprint Resistant



Antimicrobial\*



Stain Resistant



Heat Resistant



Water Resistant



Scratch Resistant



UV Stable Indoor Use



Made in Australia



Protec<sup>+</sup> Antimicrobial Technology


For full technical details, refer to the Technical Support Information available at [laminex.com.au](http://laminex.com.au)

\*Only applies to High Pressure Laminate and Compact Laminate ranges.






Polar White  
AM




White  
AM



Aries  
AM



Surf  
AM



Oyster Grey  
AM



Paper Bark  
AM



Spinifex  
AM




Green Slate  
AM




Otway  
AM



Pewter  
AM



Stormcloud  
AM



Terril  
AM




Moroccan Clay  
AM



Kalamata  
AM



French Navy  
AM



Black  
AM

# Fireguard® Décor

Perfect for Ceiling and Wall Lining applications, this Group 2 fire rated Moisture Resistant, Medium Density Fibreboard is decorated on both sides with a hardwearing melamine surface. With excellent fire retardant and machining properties, Fireguard Décor is ideally suited for wall or ceiling applications. Offered in a practical Grey Core, in 16 popular décors, the Laminex Fireguard® Décor range will create a unique design feature in any Commercial space.

All décors are available in either a 2400 x 1200 x 12mm sheet for ceiling linings or a 3600 x 1200 x 18mm sheet for wall linings.

In addition to the stocked offer, the full range of Laminex Colour Palette colours can be supplied as Laminex Fireguard Décor in the sheet size/thickness options listed below. Lead Times and Minimum Quantities apply and are detailed below.

Laminex Fireguard® Décor is proudly made in Australia

## Availability

Laminex FireGuard Décor	9mm	12mm	16mm	18mm	Applications
2400mm x 1200mm	SOE	✓	SOE	SOE	Ceiling Lining
3600mm x 1200mm	SOE	SOE	SOE	✓	Wall Lining

✓	SOE	Lead Time	Minimum Order Quantity	
Stocked	Special Order Enquiry	25 Day ex. Plant	9mm - 60 Sheets	12mm-18mm - 40 Sheets



## Laminex Fireguard Décor Features



Fire Resistant



Moisture Resistant MDF




Light Duty Horizontal



Vertical Application



Stain Resistant



Tactile



UV Stable Indoor Use




**Made in Australia**


For full technical details, refer to the Technical Support Information available at [laminex.com.au](http://laminex.com.au)



Polar White  
N



White  
N



Ghostgum  
N



Oyster Grey  
N



Seasoned Oak  
C



Whitewashed Oak  
C



Classic Oak  
NU



Raw Birchply  
N



Sublime Teak  
C




Elegant Oak  
C



Planked Urban Oak  
C




Rural Oak  
C



Danish Walnut  
C



Blackened Legno  
C



Terril  
F



Black  
F

**Legend**    N    Natural Finish            F    Flint Finish            C    Chalk

Laminex Fireguard Décor is a certified Group 2 material, in accordance with AS 5637.1. You must ensure your specific installation method, or alterations made to the panels, achieves the group rating required for your application.



# Décor Feature | The Laminex Plywood Series

Laminex Plywood Décor's have been painstakingly designed to deliver the authentic appeal of real plywood with the hard-wearing performance of Laminex.

## Benefits of Laminex Décor's Plywood Laminate over plywood

The laminex performance characteristics – durability, cleanability and ease of maintenance, stain resistance, UV resistance and colour stability – are the most obvious reasons for specifying Laminex Plywood Décor's over real ply, but there are others. Installation is much simpler, for example, because the laminated panel is pre-finished, so there's no lacquering or staining; it just has to be cut to size and edged.

Laminex manufactures Plywood Laminate locally in Australia which creates a supply chain and cost advantage, compared to the imported plywood materials that can have logistic issues.



Raw Birchply  
N C



Black Birchply  
N C



Smoked Birchply  
N C




Weathered Ply  
N C



Multiplex Raw Birchply Edging



Multiplex Black Birchply Edging



Multiplex Smoked Birchply Edging



Natural Multiplex Edging

## Matching Plywood Edging

To make your specification seamless Laminex have developed different types of multiplex plywood edging to match each décor.

For full technical details, refer to the Technical Support Information available at [laminex.com.au](http://laminex.com.au)



ABOVE: Lockers, Wall Panelling and Joinery is Laminex Raw Birchply.  
Project: The Wellness Room. Architect: Medifit Design & Construct. Photography: Steve Scalone

# Multipurpose Compact Laminate

Laminex Multipurpose Compact Laminate is beautiful in appearance and highly resilient. It's extremely scratch, wear, stain, moisture and impact resistant, all backed by a 10 year limited warranty. This thick, versatile, self-supporting laminate panel is suitable for a variety of internal applications and is ideal for use in public and leisure spaces, such as public amenities/bathrooms, as well as furniture requiring design durability.

Laminex Multipurpose Compact Laminate is proudly made in Australia.

## Technical Details

Compact Laminate	Multipurpose	Multipurpose	Laboratory	Alfresco
Finish	Natural, Nuance or Chalk	AbsoluteMatte	Carbide	Carbide
Colour	45 colours	16 colours	7 colours	11 colours
Decorated	Double Sided	Double Sided	Double Sided	Double Sided
Core	Black	Black	Black	Black
Thickness	13mm or 18mm	13mm or 18mm	13mm or 16mm	13mm
Panel Dimension	3600 x 1800mm	3600 x 1500mm	3600 x 1500mm	3600 x 1500mm
Chemical Resistance	-	-	130+ Chemicals Tested	-
UV Resistance	Indoor Rated	Indoor Rated	Indoor Rated	Covered outdoor areas
Electron Beam Cured Surface	-	Yes	Yes	Yes
Protec+ Antimicrobial	Yes	Yes	Yes	Yes
Graffiti Resistance	-	-	Yes	-
Global Green Tag Certification	Yes	Yes	Yes	Yes
Limited Warranty	10 Years	10 Years	10 Years	7 Years
Made in Australia	Yes	Yes	Yes	Yes

Note: Not all colours stocked in all thicknesses but available MTO. Please refer to the Laminex National Availability Guide.

## Laminex Multipurpose Compact Laminate Features



Horizontal Application



Vertical Application




Stain Resistant



Antimicrobial



Water Resistant



Tactile



UV Stable Indoor Use



Impact Resistant



Scratch Resistant



Made in Australia



Protec+ Antimicrobial Technology

For full technical details, refer to the Technical Support Information available at [laminex.com.au](http://laminex.com.au)






ABOVE: Table tops Laminex Multipurpose Compact Laminate in Classic Oak, wall panels Laminex Large Format Commercial in Black Birchply, Moleskin and Classic Oak. Design and styling: Bree Leech. Photography: Mike Baker.






Polar White  
N AM




White  
N NU AM




Parchment  
N



Ghostgum  
N




Surf  
AM




Aries  
N AM




Paper Bark  
AM



Oyster Grey  
N AM




Spinifex  
N AM




Fox  
N



Pewter  
AM




Tornado  
N



Lava Grey  
N




Olivine  
N



Green Slate  
AM




Otway  
N AM




Fossil  
N



Moose  
N



Battalion  
N



Stormcloud  
AM

**Legend**

**N** Natural Finish

**NU** Nuance Finish

**C** Chalk

**AM** AbsoluteMatte




Charcoal  
N



Terril  
N NU AM



French Navy  
N AM



Black  
N NU AM



Seasoned Oak  
N C



Oyster Linea  
N



Raw Birchply  
N C



Classic Oak  
N NU



Elegant Oak  
N



Sublime Teak  
N C



Rural Oak  
N



Planked Urban Oak  
N C




Natural Walnut  
N



Danish Walnut  
N C



Lustrous Elm  
N NU



Burnished Wood  
N NU



Zincworks  
N



Fox Teakwood  
N



New Graphite  
N



Greystone  
N

**Legend**

**N** Natural Finish

**NU** Nuance Finish


**C** Chalk

**AM** AbsoluteMatte





Manhattan Concrete  
N



Portsea  
N



Moroccan Clay  
N AM



Kalamata  
AM



Golden Wattle  
N



Coastal Sunrise  
N



Pillarbox  
N



ABOVE: Cabinetry **Laminex Portsea**, Internal  
Cabinetry **Laminex Moroccan Clay**, Tabletop  
**Laminex Marmo Grigio TrueScale™**.

# Introducing to Multipurpose Range Laminex TrueScale™

NEW


Featuring no repeat in the print for the entire length and width of a sheet.



Calacatta Majore TrueScale™  
N



Premio Carrara TrueScale™  
N



Luxe Elba TrueScale™  
N



Marmo Grigio TrueScale™  
N

Legend N Natural Finish

Scan here to  
view full sheets  
and learn more.





NEW

# Multipurpose Compact Laminate AbsoluteMatte® Finish

Available now in Laminex Multipurpose Compact Laminate, AbsoluteMatte is a super-matte, intriguingly tactile and fingerprint-resistant surface. Advanced new technology delivers fingerprint resistance, plus antibacterial protection to ensure your surface stays looking smarter and cleaner for longer.

Laminex Multipurpose Compact Laminate in AbsoluteMatte® Finish is proudly made in Australia.

## Technical Details

Compact Laminate	Multipurpose	Multipurpose	Laboratory	Alfresco
Finish	Natural, Nuance or Chalk	AbsoluteMatte	Carbide	Carbide
Colour	45 colours	16 colours	7 colours	11 colours
Decorated	Double Sided	Double Sided	Double Sided	Double Sided
Core	Black	Black	Black	Black
Thickness	13mm or 18mm	13mm or 18mm	13mm or 16mm	13mm
Panel Dimension	3600 x 1800mm	3600 x 1500mm	3600 x 1500mm	3600 x 1500mm
Chemical Resistance	-	-	130+ Chemicals Tested	-
UV Resistance	Indoor Rated	Indoor Rated	Indoor Rated	Covered outdoor areas
Electron Beam Cured Surface	-	Yes	Yes	Yes
Protec+ Antimicrobial	Yes	Yes	Yes	Yes
Graffiti Resistance	-	-	Yes	-
Global Green Tag Certification	Yes	Yes	Yes	Yes
Limited Warranty	10 Years	10 Years	10 Years	7 Years
Made in Australia	Yes	Yes	Yes	Yes

Note: Not all colours stocked in all thicknesses but available MTO. Please refer to the Laminex National Availability Guide.

## Laminex AbsoluteMatte Compact Laminate Features



Horizontal Application



Vertical Application



Fingerprint Resistant



Antimicrobial



Stain Resistant



Heat Resistant



Water Resistant



Scratch Resistant



UV Stable Indoor Use




Made in Australia




Protec+ Antimicrobial Technology

For full technical details, refer to the Technical Support Information available at [laminex.com.au](http://laminex.com.au)

# Stocked




White  
AM



Oyster Grey  
AM




Otway  
AM



Terril  
AM




French Navy  
AM




Black  
AM


# Made to Order



Polar White  
AM




Aries  
AM




Surf  
AM




Paper Bark  
AM




Spinifex  
AM



Green Slate  
AM



Pewter  
AM



Stormcloud  
AM



Moroccan Clay  
AM



Kalamata  
AM

# Laboratory Compact Laminate

Worktops are a critical element of laboratory furniture and the selection of material used is vital to the efficient and effective functioning of the laboratory environment. Laminex Laboratory Compact Laminate is the premium choice for vulnerable surfaces, with superior moisture, wear and chemical resistant properties. With machinability similar to that of hardwood, it's a versatile material that can easily incorporate sinks, drip-cups and tap-holes.

Laminex Laboratory Compact Laminate is proudly made in Australia.

## Technical Details

Compact Laminate	Multipurpose	Multipurpose	Laboratory	Alfresco
Finish	Natural, Nuance or Chalk	AbsoluteMatte	Carbide	Carbide
Colour	45 colours	16 colours	7 colours	11 colours
Decorated	Double Sided	Double Sided	Double Sided	Double Sided
Core	Black	Black	Black	Black
Thickness	13mm or 18mm	13mm or 18mm	13mm or 16mm	13mm
Panel Dimension	3600 x 1800mm	3600 x 1500mm	3600 x 1500mm	3600 x 1500mm
Chemical Resistance	-	-	130+ Chemicals Tested	-
UV Resistance	Indoor Rated	Indoor Rated	Indoor Rated	Covered outdoor areas
Electron Beam Cured Surface	-	Yes	Yes	Yes
Protec+ Antimicrobial	Yes	Yes	Yes	Yes
Graffiti Resistance	-	-	Yes	-
Global Green Tag Certification	Yes	Yes	Yes	Yes
Limited Warranty	10 Years	10 Years	10 Years	7 Years
Made in Australia	Yes	Yes	Yes	Yes

Note: Not all colours stocked in all thicknesses but available MTO. Please refer to the Laminex National Availability Guide.

## Laminex Laboratory Compact Laminate Features



Horizontal Application



Vertical Application




Stain Resistant



Chemical Resistant



Water Resistant



Tactile



UV Stable Indoor Use



Impact Resistant



Scratch Resistant



Made in Australia




Protec+ Antimicrobial Technology

For full technical details, refer to the Technical Support Information available at [laminex.com.au](http://laminex.com.au)

Laminex Laboratory Compact Laminate features an Electron Beam Cured (EBC) surface for enhanced chemical resistance and hygienic properties.

We have tested 130+ chemicals, including Silver Nitrate, making this surface suitable for both horizontal and vertical applications in spaces that require the use of harsh chemicals or vigorous cleaning regimes.

It resists acids, alkalis, corrosive salts and other destructive or staining substances, and is graffiti resistant.





# Alfresco Compact Laminate

Laminex Alfresco Compact Laminate will inspire you to spend more time outdoors. With outstanding resilience and sophisticated style, this durable compact laminate opens up even more outdoor design possibilities. Specifically created for exterior areas exposed to the elements, it's a revolution in outdoor living. Allowing seamless design integration between interior and exterior areas.

Laminex Alfresco Compact Laminate is proudly made in Australia.

## Technical Details

Compact Laminate	Multipurpose	Multipurpose	Laboratory	Alfresco
Finish	Natural, Nuance or Chalk	AbsoluteMatte	Carbide	Carbide
Colour	45 colours	16 colours	7 colours	11 colours
Decorated	Double Sided	Double Sided	Double Sided	Double Sided
Core	Black	Black	Black	Black
Thickness	13mm or 18mm	13mm or 18mm	13mm or 16mm	13mm
Panel Dimension	3600 x 1800mm	3600 x 1500mm	3600 x 1500mm	3600 x 1500mm
Chemical Resistance	-	-	130+ Chemicals Tested	-
UV Resistance	Indoor Rated	Indoor Rated	Indoor Rated	Covered outdoor areas
Electron Beam Cured Surface	-	Yes	Yes	Yes
Protec+ Antimicrobial	Yes	Yes	Yes	Yes
Graffiti Resistance	-	-	Yes	-
Global Green Tag Certification	Yes	Yes	Yes	Yes
Limited Warranty	10 Years	10 Years	10 Years	7 Years
Made in Australia	Yes	Yes	Yes	Yes

Note: Not all colours stocked in all thicknesses but available MTO. Please refer to the Laminex National Availability Guide.

## Laminex Alfresco Compact Laminate Features



Horizontal Application



Vertical Application



Stain Resistant



Heat Resistant



Water Resistant



Impact Resistant



Scratch Resistant



Covered Outdoor Use




Made in Australia




Protec+ Antimicrobial Technology

For full technical details, refer to the Technical Support Information available at [laminex.com.au](http://laminex.com.au)


Laminex Alfresco Compact Laminate delivers superior moisture, wear, and weather resistance. Its distinctive black core eliminates the need for edge treatment and serves as a striking design feature. Available in 11 décors it's a low maintenance alternative to wood and other outdoor products.




Parchment  
CB



Oyster Grey  
CB



Terril  
CB



Black  
CB



Rural Oak  
CB



Classic Oak  
CB



Natural Walnut  
CB



Burnished Wood  
CB



Premio Carrara TrueScale™  
CB



Manhattan Concrete  
CB



Greystone  
CB


# Cut-to-size Compact Laminate

The Laminex cut-to-size offer is a hassle-free, ready-to-install compact laminate panel solution. This service easily allows fabricators to use compact laminate for a variety of internal and external applications, and is ideal for large or small projects, from restaurant tabletops to laboratory and alfresco benchtops, doors and loose commercial furniture.


There is no need for specialist cutting and lifting equipment, as the compact laminate panels are custom made – including the option of routing and predrilling for handles and hinges – to meet your design needs.

This offer is available in Multipurpose, Laboratory and Alfresco grades of Laminex Compact Laminate, which are all proudly made in Australia.


## Edge Profiles




2mm Aris



8.5mm Radius Bull Nose



Straight Cut



Sharknose

<b>Panel Substrate</b>	Laminex Multipurpose Compact Laminate 13mm or 18mm Laminex Laboratory Compact Laminate 13mm or 16mm Laminex Alfresco Compact Laminate 13mm
<b>Features</b>	Hassle-free, ready to install Compact Laminate solution Panels are customised and charged on a square metre rate - you only pay for what you need - not the full sheet No minimum order is required Routing & pre-drilling of holes for hinges and handles is optional No edging required - 4 edge profiles available
<b>Recommended Applications</b>	Hospitality café and restaurant tabletops Education and laboratory benchtops Retail counter tops Commercial and wet-area wall linings Hygiene critical health and aged-care furniture and panels Alfresco kitchen benchtop, doors and panels Exterior urban furniture and designer panels
<b>Warranty &amp; Guarantees</b>	Laminex Multipurpose Compact Laminate - 10 years Laminex Laboratory Compact Laminate - 10 years Laminex Alfresco Compact Laminate - 7 years



**Made in Australia**



**Protec+** Antimicrobial  
Technology

For full technical details, refer to the Technical Support Information available at [laminex.com.au](http://laminex.com.au)





ABOVE: Table tops Laminex Multipurpose Compact Laminate in Classic Oak, wall panels Laminex Large Format Commercial in Black Birchply, Moleskin and Classic Oak. Design and styling: Bree Leech. Photography: Mike Baker.



# Waterloo™ Partitioning Systems

Laminex Waterloo Partitioning Systems will give you a quality complete fitout that will be admired for years to come. Laminex Waterloo is made from high quality Australian Made Laminex substrates, backed by 85 years of expertise for quality you can trust. Assembled locally in Australia using only Global GreenTag certified Laminex substrates, the Laminex Waterloo range includes Shower and Toilet Partitions, Locker Systems, Vanities, Seating, Privacy Panels and Wall Panels. These can be customised for applications ranging from offices, retail spaces, health care facilities, educational facilities, sports and recreation venues and everywhere in between.

## Why use Laminex Waterloo Partitioning Systems?



### National Coverage

- National distribution coverage
- Nationwide approved referral installation network
- National sales & after sales support



### Superior Quality

- Made from quality Laminex substrates with Global GreenTag certification
- Quality and durable system designs including:
  - Reinforced aluminium head rails for system strength
  - Anodised aluminium hardware & stainless steel screws
  - Rounded panel/door edges for added safety measures
- In-house design & manufacturing with total control of the process from start to finish.



### Antimicrobial Surface Technology

- Laminex Multipurpose Compact Laminate features Protec+ Antimicrobial Technology, which resists fungal and bacterial properties.



### Proud Australian Manufacturer

- Assembled in regional Australia
- Made from Australian made substrates.



### Superior Warranties & Guarantees

- Laminex Compact Laminate Warranty - 10 years
- Laminex Vertiboard® MR E0 Warranty - 7 years
- NEW Partitioning Door Hardware Replacement Guarantee\* - 5 years

For full technical details, refer to the Technical Support Information available at [laminex.com.au](http://laminex.com.au)

Scan the code to Explore the Range.



BELOW: Floor to Ceiling Partitioning System in Laminex Multipurpose Compact in Classic Oak.  
Project: Pinnacle One Gym. Architect/Designer: InOne Projects



# Chemical Resistant Laminate

Laminex Chemical Resistant high pressure laminate surfaces are designed to provide advanced protection against damaging chemicals in any number of harsh environments. Economical, durable, stylish and easy to maintain, the innovative laminate construction is intended for interior horizontal and vertical applications.

These surfaces feature improved chemical resistance to acids, alkalis, corrosive salt, and other destructive or staining substances. They're suitable for horizontal surfaces including counters, laboratory benches and tabletops. Ideal vertical surfaces include cabinets, casework fronts, wall splashback panels or screens.

Laminex Chemical Resistant Laminate is proudly made in Australia.

## Technical Details

Sheet Size	Thickness	Weight	Finish
3600mm x 1200mm	0.8mm (nominal)	1.0kg/m2 approx	Natural

## Laminex Laboratory Compact Laminate Features



Horizontal Application



Vertical Application



Stain Resistant



Chemical Resistant



Water Resistant



Heat Resistant



UV Stable Indoor Use



Impact Resistant



Scratch Resistant



Antimicrobial




Made in Australia




Protec+ Antimicrobial Technology

For full technical details, refer to the Technical Support Information available at [laminex.com.au](http://laminex.com.au)



White  
N



Polar White  
N



Parchment  
N



Oyster Grey  
N



Zincworks  
N



Greystone  
N





# Metallic Laminates

The refined glamour of metallic surfaces and features is timeless. From brilliant accents to statement panelling, metallics bring drama and sophistication to any space.

Elevate commercial interiors with our innovative collection of radiant metallic surfaces, manufactured from real metal foils. Featuring tones found in the tapware, handles and hardware industry, this range has an option for all projects.

---

## Technical Details

Sheet Size	Thickness	Weight	Finish
2400mm x 1200mm	0.8mm to 1.3mm	1.5kg/m <sup>2</sup> approx (1mm)	Various

**Note:** Special fabrication requirements apply to Brushed Stainless Steel laminate. Not to be used in high humidity environments as corrosion of the metal foil may occur. Care should be taken with handling and fabrication as damage to the protective surface lacquer will lead to corrosion of the metal. Avoid metal to metal contact when using fittings; use a mastic or gasket to prevent metal to metal corrosion.

## Laminex Metallic Laminates Features



Vertical  
Application



Tactile




Dimensional  
Stability

For full technical details, refer to the Technical Support Information available at [laminex.com.au](https://www.laminex.com.au)




Brushed Stainless Steel



Plex Argent



Plex Cupro



Plex Graphite



Brushed Titanium




Brushed Brass



Brushed Bronze



Matte Rose Gold



Copper Brush



Mirror Smoke



Satin Smoke

# CustomArt™ Surfaces

Laminex CustomArt Surfaces help you build exciting, dynamic and ever inspirational interiors. Made locally in Australia, they are custom built to ensure you achieve your ideal vision. Perfect for just about any internal application, you can choose a design from our exclusive collection of colours, patterns, photographs or text, or create your own unique palette or print. Whatever you decide, the result will be outstanding. So for eye catching doors, walls, benchtops, ceilings and more, explore the stunning possibilities with Laminex CustomArt Surfaces.

Laminex CustomArt Surfaces offer a range of laminate grades. This means they can be used for internal application.

## Aqua Panel

CustomArt Aqua Panels can be used as wall linings in wet or dry areas. It has a melamine resin surface on both sides for protection against moisture and warpage. It is highly resistant to scratching and staining, making it ideal for bathrooms, change rooms, toilets, showers, buses, caravans and boats.

## Standard Laminate (Xtra Grade)

CustomArt Xtra Grade is a general purpose laminate for interior applications, including benchtops, tabletops, furniture, wall murals, interior signage and exhibition displays. Its hard surface finish provides added durability against scratching, wear and graffiti. CustomArt Xtra Grade requires bonding to a suitable substrate prior to installation.

To learn more about the process visit [laminex.com.au](http://laminex.com.au)

## Technical Details

Sheet Size	Thickness	Weight	Finish
2400mm x 1200mm	2.7mm	4.4kg/m <sup>2</sup> approx	Natural
3600mm x 1200mm (nominal)	1.0mm (nominal)	1.7kg/m <sup>2</sup> approx	

## High Pressure Laminate (HPL) Features



Horizontal  
Application



Vertical  
Application



Stain  
Resistant



Heat  
Resistant



Water  
Resistant



Scratch  
Resistant



UV Stable  
Indoor Use



Dimensional  
Stability

For full technical details, refer to the Technical Support Information available at [laminex.com.au](http://laminex.com.au)





ABOVE/BELOW: Wall Linings are Laminex CustomArt.  
Project: Royal Adelaide Hospital. Architect: Silver Thomas Hanley. Artist: Annalise Rees. Photography: Steedform.



### Visit us

For location of your closest showroom or more information visit [laminex.com.au](https://laminex.com.au)

### Product sample

For a sample visit [laminex.com.au](https://laminex.com.au)

### Call Us

For trade enquiries **132 136**

### Follow Us

 [facebook.com/Laminexau](https://facebook.com/Laminexau)

 [au.pinterest.com/Laminexau](https://au.pinterest.com/Laminexau)

 [instagram.com/Laminexau](https://instagram.com/Laminexau)

 [youtube.com/Laminexau](https://youtube.com/Laminexau)

Laminex and Essastone® are manufactured, marketed and distributed by Laminex Group Pty Limited ABN 98 004 093 092, trading as Laminex. The colours and finishes for all imagery and product swatches in this brochure may vary due to paper, printing processes and photographic lighting. For an accurate representation of the product, please view a physical sample. Please obtain a copy of the terms and conditions of the applicable warranties from [laminex.com.au](https://laminex.com.au). All warranties are in addition to any rights that may exist under the Australian Consumer Law. Laminex®, Impressions™, Essastone®, AbsoluteMatte®, DiamondGloss®, Silk™, AbsoluteGloss™.

The content of this document is intended as a guide only and its use in any respect is strictly at your own risk. While Laminex has taken all reasonable care in producing this document, Laminex makes no representations or warranties, express or implied, as to the accuracy, reliability or completeness of the information. We recommend that you seek independent advice to determine the suitability of any product or information for your intended application. To the extent permitted by law, Laminex disclaims all liability (including liability for negligence) for all loss, damage, liability or claim resulting from the use of the information provided in this document. Liability which cannot legally be excluded is limited to the maximum extent possible.

Copyright in this document is owned by Laminex Group Pty Limited (Laminex). All rights reserved. You must not use, copy, disclose or distribute the content of this document without Laminex' prior written permission.

Copyright © 2022, Laminex Group Pty Limited

LAM4889 | LMX0180 09/2022

# Laminex®

**Protec+** | Antimicrobial  
Technology

Protec+ antimicrobial technology is standard across the Laminex Multipurpose Compact range.